


MetaCentrum NGI

For scientific computations, collaborative research and its support services

Jiří Vorel

The Institute of Computer Science CAS, Prague

vorel@cesnet.cz meta@cesnet.cz



■ MetaCentrum is

- A national grid infrastructure (NGI)
- The activity of the CESNET association
- Part of the e-INFRA CZ e-infrastructure
- A provider of computational resources, application software (both commercial and free/open source) and data storage
- Free of charge (users 'pay' by acknowledging the project 'e-INFRA CZ ID:90254' in their publications)
- Available to the entire academic and research community in the Czech Republic

<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>

<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>



<https://docs.metacentrum.cz/en/docs/access/terms#acknowledgements-and-publications>



MetaCentrum in a nutshell

■ MetaCentrum is

- A national grid infrastructure (NGI)
- The activity of the CESNET association
- Part of the e-INFRA CZ e-infrastructure
- A provider of computational resources, application software (both

<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>

<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>



Acknowledgement formula for the MetaCentrum infrastructure

Computational resources were provided by the e-INFRA CZ project (ID:90254), supported by the Ministry of Education, Youth and Sports of the Czech Republic.

Acknowledgement formula for ELIXIR CZ resources

Computational resources were provided by the ELIXIR-CZ project (ID:90255), part of the international ELIXIR infrastructure.



■ MetaCentrum offers


- Access without the grant competitions
- The possibility to apply for membership at any time
- Access to all resources without submitted projects (with one exception)
- Immediate access to hardware resources and licences (once an application has been approved)
- Grid (shared) usage principle (privileged access for cluster owners)
- Various application software (commercial, free and open source)
- CPU/GPU resources, CLI access, GUI applications, Kubernetes and cloud services, etc.

<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>

<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>



MetaCentrum in a nutshell

■ MetaCentrum is available for

<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>

<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>

- Individual users (we have HW resources)
- Projects (collaboration and sharing of data within a group)
- Organisations (incorporating their resources under the central management of MetaCentrum, while retaining privileged access)

- Employees and students from Czech universities and the Czech Academy of Sciences, as well as non-commercial research facilities and foreign partners, etc.
- Collaborating industry users (non-profit and public research only, upon individual request)



MetaCentrum in a nutshell

■ MetaCentrum cannot help with

- Purely commercial research
- Allocating resources for a fee
- Long-term and secure storage of valuable data (i.e. data archiving)
- Providing extreme amounts of resources to individual tasks
- Processing sensitive data (Kubernetes Sensitive Cloud within e-INFRA CZ, coordinated by CERIT-SC)
- Tools whose installation or use would violate the licence terms
- Windows OS

<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>


<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>

<https://du.cesnet.cz>

cesnet
datacare
■■■■


<https://www.cerit-sc.cz/>




- Link your e-INFRA CZ account to ORCID
 - The future of national computing and storage services depends on demonstrating that researchers are truly using them
 - Currently, much of the valuable research output of e-INFRA CZ users is 'invisible' to our funders
 - We are developing a new automated system that will harvest users' publications
 - Users only need to link their ORCID iD and use the correct acknowledgement in their publications.
 - This can easily be done in the e-INFRA user profile



<https://www.e-infra.cz/en/news/link-your-e-infra-cz-account-to-orcid-a-small-step-for-smarter-impact-reporting>



- Supercomputer
- Grid HPC + HTC + Kubernetes
- HPC Cloud
- Object DataStorage
- Resources available in EGI
- Resources dedicated to ELIXIR CZ
- Virtualization platform
- NRP - plan 2025-2027




MetaCentrum in Numbers 2025



registered users

4 621




PBS (meta-pbs)




7.6 mil.
jobs



25 392
CPU years




283
GPU years



39 988
CPU cores /
332 GPU




OPENSTACK




80.7 thous.
VM



4 235
CPU years



23
GPU years




9 670
CPU cores /
84 GPU




KUBERNETES




6.4 mil.
pods



1 760
CPU years



43
GPU years




3 008
CPU cores /
47 GPU

SENSITIVE CLOUD




37.8 thous.
pods



657
CPU years



35
GPU years




1 112
CPU cores /
40 GPU

A close-up, high-angle shot of the One Ring from J.R.R. Tolkien's Middle-earth. The ring is positioned diagonally, showing its inner and outer surfaces. It is inscribed with the Elvish word 'Eärendil' in a golden, flowing script. The ring is set against a background of a golden, textured fabric, possibly a tapestry or rug, which features intricate, darker golden patterns. The lighting is warm and dramatic, highlighting the metallic sheen of the ring and the texture of the fabric. The overall mood is one of ancient power and mystery.

ONE APPLICATION TO RULE THEM ALL


One application to rule them all





A complete overview of e-INFRA CZ services

One application to rule them all



The screenshot shows the e-INFRA CZ Documentation website. The navigation bar includes: Documentation, Account, MetaCentrum Grid, Supercomputing, Data Storages, NRP, Kubernetes, Compute Cloud, and About e-INFRA CZ. The main heading is "Welcome to e-INFRA CZ Documentation!" followed by the text: "The home for the documentation of all e-INFRA CZ services that are provided to the scientific community in the Czech Republic." The page is organized into several service categories, each with a list of links:

- e-INFRA CZ Account**
 - [How to get access](#)
 - [Managing access using Perun](#)
 - [Adding ORCID iD to existing e-INFRA CZ account](#)
 - [Multi-Factor Authentication](#)
- Data Processing**
 - [Batch computing \(MetaCentrum Grid\)](#)
 - [Supercomputing \(IT4I\)](#)
 - [Compute Cloud \(Virtualization\)](#)
 - [Container Platform \(Kubernetes CERIT-SC\)](#)
 - [Sensitive Cloud \(Kubernetes CERIT-SC\)](#)
- Data Storage & Repositories**
 - [Overview](#)
 - [Object Storage](#)
 - [National Data Repositories \(NRP\)](#)
 - [OwnCloud](#)
 - [FileSender](#)
- Featured Services**
 - [Scheduling meetings polls.e-infra.cz](#)
 - [Foldify – Alphafold UI](#)
 - [Jupyter Notebooks/Hub](#)
 - [Galaxy web-based platform](#)
 - [MetaCentrum's Open OnDemand](#)
- AI as a Service (AlaaS)**
 - [AI-as-a-Service Introduction](#)
 - [AI Chat \(WebUI\)](#)
 - [On-premise LLM + OpenAI-compatible API](#)
 - [n8n AI Agents](#)
 - [DeepSite AI Website Designer](#)
 - [Jupyter Notebooks with AI Intelligence](#)

On the right side of the page, the URL <https://docs.e-infra.cz/> is displayed. The page is overlaid with a large orange arrow pointing from a clipboard icon on the left towards the documentation content.

<https://docs.e-infra.cz/>

- Grid computing (OpenPBS scheduler)
 - Centrally managed HTC/HPC clusters
 - Classic command line environment (CLI)
 - The 'most powerful' environment
 - Long batch jobs (days/weeks)
 - Interactive jobs (test computing)
 - Parallel and multi-node computing
 - Apptainer container running, NGC
 - GPU acceleration (NVIDIA H100)
 - Disk arrays and local scratch storage

<https://docs.metacentrum.cz/en/docs/welcome>

```

cesnet
[BOOKWORM]varel@skirit:~$ echo "MetaCentrum seminar 2025"
MetaCentrum seminar 2025
[BOOKWORM]varel@skirit:~$

```

```

Your Home Directories
-----
Avail |   DATA |   FILES |Backup |Storage
space |quota  used |quota  used |
-----|-----|-----|-----|-----
565T  none  200G   none   36   snap  brno12-cerit
113T  4.29T 33.9G  2.5M 31.0k  snap  brno2
 22T  3.32T  24k   1M    9   full  budejovice1
 37T  10.4G  12k   none   8    -    liberec3-tul
403T  4.29T 1.71T   3M  133k  snap  plzen1
 64T  7.34G  44k   none   18   -    praha2-natur
235T  5.36T 940G  1.01M 113k  full  praha5-elixir
 70T  7.34G  32k   none   12   full  pruhonice1-ibot
 12T  2.14T  80k    2M    33   snap  vestec1-elixir

```

```

CPUs
----
Free  Used  Total  Centre
7034 28627 35661  META

```

```

Contact
-----
E-mail:  meta@cesnet.cz
Web:     http://www.metacentrum.cz/

```

```

Tip of the day:  You can check allocated/available storage in the table above.

```

```

[BOOKWORM]varel@skirit:~$ echo "MetaCentrum seminar 2025"
MetaCentrum seminar 2025
[BOOKWORM]varel@skirit:~$

```



MetaCentrum provides access to hundreds of software tools giving thousands of individual modules

Licence models

- We can run almost anything that doesn't violate the licence terms and is for Linux
- Most application software is open source, but...

<https://docs.metacentrum.cz/en/docs/software>

Paid licence




For registered individuals

For all users



Free licence





■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications




■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications




■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications

A screenshot of the Open OnDemand web interface. The browser address bar shows "metacentrum". The page title is "Home / My Interactive Sessions / Matlab". On the left, a sidebar lists "Interactive Apps" under categories: Cloud (Kubernetes on OpenStack (KOST) (beta), OpenStack VM (beta)), Desktops (Ansys/Ensignt, Ansys/Fluent, Ansys/Workbench, BIOP Desktop, CLCgenomicsWB), Matlab (highlighted), MetaCentrum Desktop, VMD Desktop, Servers (Jupyter Notebook/Lab, Matlab webapp (beta), RStudio Server). The main content area shows the "Matlab" app details: "This app will launch an interactive desktop on one or more compute nodes. You will have full access to the resources these nodes provide. This is analogous to an interactive batch job." Below this are configuration fields: "Number of hours" (5), "Number of CPUs on single node" (4), "Memory (GB)" (4), "GPUs" (0), and "Scratch local (GB)" (10). A blue "Launch" button is at the bottom. A note states: "* The Matlab session data for this session can be accessed under the [data root directory](#)."

Open OnDemand


■ Open OnDemand



<https://ondemand.m>

- Web appli
- OpenPBS
- Running (r

The screenshot displays the Open OnDemand web interface. At the top, a navigation bar includes 'metacentrum', 'Files', 'Jobs', 'Clusters', 'Interactive Apps', and 'My Interactive Sessions'. Below this, a breadcrumb trail shows 'Home / My Interactive Sessions / Matlab'. A green notification banner at the top left states 'Session was successfully created.' The main content area is divided into two columns. The left column, titled 'Interactive Apps', lists 'Cloud' (Kubernetes on OpenStack (KOST) (beta), OpenStack VM (beta)) and 'Desktops' (Ansys/Ensignt). The right column shows details for a 'Matlab' session (ID: 17158555.pbs-m1.metacentrum.cz) with '1 node | 4 cores' and a 'Starting' status. It includes a 'Delete' button and a message: 'Your session is currently starting... Please be patient as this process can take a few minutes.' Below this, a configuration panel shows 'MetaCentrum Desktop' selected, 'Scratch local (GB)' set to 10, and a 'Launch' button. A note at the bottom states: '* The Matlab session data for this session can be accessed under the [data root directory](#).'



Open OnDemand

■ Open OnDemand



https://ondemand.metacentrum.cz/

The screenshot displays the Open OnDemand web interface. At the top, a green notification bar states "Session was successfully created." Below this, the breadcrumb navigation shows "Home / My Interactive Sessions". On the left, a sidebar lists "Interactive Apps" under "Cloud" (Kubernetes on OpenStack (KOST) (beta), OpenStack VM (beta)) and "Desktops" (Ansys/Ensignt, Ansys/Fluent, Ansys/Workbench, BIOP Desktop, CLCgenomicsWB). The main content area shows details for a "Matlab" session (17158555.pbs-m1.metacentrum.cz) which is "Running" with "1 node" and "4 cores". It includes fields for Host, Created at, Time Remaining, and Session ID. At the bottom of the session details, there are sliders for "Compression" and "Image Quality", both ranging from 0 (low) to 9 (high). A "Launch Matlab" button is highlighted with an orange border, and a "View Only (Share-able Link)" button is also visible. A "Delete" button is present in the top right of the session details. In the background, another window shows a list of applications with a "4 cores | Starting" status and a "Delete" button.



New Script New Live Script New Open Go to File Find Files Import Data Save Workspace Clean Data Open Variable Clear Workspace

FILE VARIABLE

Favorites Run and Time Clear Commands

CODE

Simulink

SIMULINK

Layout

Set Path

Add-Ons

Settings

Help

Request Support

Feedback

Learn MATLAB

RESOURCES

/ > auto > brno11-elixir > home > vorel >

Files

Name
icewm
NikoK_Klimno_genome
NikoK_Ktang_genome
NikoR_metabarcoding

Command Window

Workspace

Name	Value	Size	Class
------	-------	------	-------



FILE

/ > auto > brno11-e

Files

Name

- .icewm
- NikoK_Klimno_genome
- NikoK_Ktang_genome
- NikoR_metabarcoding

Workspace

Name	Value	Size


Search

No items match your search.

★ FAVORITES



Curve Fitter



Optimization



PID Tuner



System Identification



Wireless Waveform...



Wireless Channel ...




Signal Analyzer



Instrument Control



SimBiology Model ...



SimBiology Model ...



MATLAB Coder



Standalone Applicatio...

MATLAB



Class Diagram ...



Code Analyzer



Code Compatibil...



Data Cleaner



Dependency Analyzer



Experiment Manager



Hardware Manager



Profiler



Test Browser

MACHINE LEARNING AND DEEP LEARNING



Classification Learner



Deep Network ...



Deep Network ...



Neural Net Clustering



Neural Net Fitting



Neural Net Pattern ...



Neural Net Time Series



Regression Learner



Reinforce... Learning...


MATH, STATISTICS AND OPTIMIZATION



Curve Fitter



Distribution Fitter



Optimization



PDE Modeler

CONTROL SYSTEM DESIGN AND ANALYSIS



Control System ...



Control System ...



Diagnostic Feature ...



Fuzzy Logic Designer



Health Indicator ...



Linear System ...



MPC Designer



Model Reducer



Neuro-Fuzzy Designer



PID Tuner



System Identification

SIMSCAPE



Battery Builder



Flexible Body Mod...



Graph Data Extractor

RF AND MIXED-SIGNAL



Antenna Array ...



Antenna Designer



Matching Network ...



Mixed-Signal Analyzer



PCB Antenna Designer



Parallel Link Designer



RF Budget Analyzer



SerDes Designer



Serial Link Designer



Signal Integrity ...



Transmission Line ...

ROBOTICS AND AUTONOMOUS SYSTEMS



Flight Log



Inverse



ROS 2



ROS Data



SLAM Map



UAV

Files

Name
└ .icwm
└ NikolK_Klimno_genome
└ NikolK_Ktang_genome
└ NikolR_metabarcoding

Name	Value	Size	C

Curve Fitter

CURVE FITTER

+ Open + Save + Duplicate + New + Select Data + Exclusion Rules + Validation Data

+ Polynomial + Exponent... + Logarith... + Fourier

Update Fit + Fit + Residuals Plot + Contour Plot + Colormap + Export

Auto Manual + Fit Plot + Prediction Bounds + None

FILE DATA FIT TYPE FIT VISUALIZATION PREFERENCES EXPORT

untitled fit 1

Select data to fit curves or surfaces.

Fit Options

Polynomial

Degree: 1

Robust: Off

Center and scale:

Advanced Options

[Read about fit options](#)

Results

Fit Name: untitled fit 1

Table of Fits



Fit State	Fit name	Data	Fit type	R-square	SSE	DFE	Adj R-sq	RMSE	# Coeff	Validation
	untitled fit 1		poly1							

■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications
- Browsing repositories (tab 'Files')




■ Open OnDemand

<https://ondemand.metacentrum.cz>

- Web application of OpenPBS scheduler
- Running (not only on HPC)
- Browsing repositories

The screenshot displays the Open OnDemand web interface. At the top, there is a navigation bar with the 'metacentrum' logo and several menu items: 'Files', 'Jobs', 'Clusters', 'Interactive Apps', and 'My Interactive Sessions'. Below the navigation bar, a file browser is open, showing a list of home directories. The 'cesnet_s3' directory is highlighted with an orange box. Below it, a group of 'projects' directories is also highlighted with an orange box. To the right of the file browser, there are several application tiles, including 'Matlab', 'Ansys FLUENT Ansys Fluent', 'Job Composer', and 'BIOP Desktop'. The text 'all apps' is visible above the application tiles.



_ Open in Terminal ▾
Refresh
+ New File
New Directory
Upload
Download
Copy/Move
Delete

- [Home Directory](#)
- [brno2](#)
- [brno12](#)
- [praha5-elixir](#)
- [brno11-elixir](#)
- [brno14-ceitec](#)
- [brno3-cerit](#)
- [budejovice1](#)
- [liberec3](#)
- [plzen1](#)
- [plzen4-ntis](#)
- [praha1](#)
- [praha2-natur](#)
- [praha5-elixir](#)
- [praha6-fzu](#)
- [pruhonice1-ibot](#)
- [projects](#)
- [projects2](#)
- [projects-du-praha](#)
- [cesnet_s3](#)

↑
cesnet_s3: / meta-archive /
Change directory
Copy path

Show Owner/Mode
 Show Dotfiles
 Filter:

Showing 12 rows - 0 rows selected

<input type="checkbox"/>	Type ▲	Name	Size	Modified at
<input type="checkbox"/>	Folder	03_E_nip_genom	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	03_E_nip_trans	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	04_Viremie_AV_Kapr_Karas	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	04_Viremie_AV_Plotice_Cejn	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	05_Nikol_Kmentova	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	06_Kasa_mansoni_hepatica_vejce	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	07_Haem_cont_metylaseDNA	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	Folder	08_JI_hetero_trans	-	28. 9. 2025 11:11:36
<input type="checkbox"/>	File	01_Echo.tar.gz	662.80 GB	9. 10. 2022 15:21:53
<input type="checkbox"/>	File	02_TomasPakosta.tar.gz	3.56 GB	14. 11. 2020 18:46:42
<input type="checkbox"/>	File	02_TomasPakosta_posledni_vymysl.zip	13.46 GB	19. 3. 2025 14:40:50
<input type="checkbox"/>	File	Kapentagyrus_July2022.tar.gz	473.75 GB	11. 12. 2023 19:47:56


Other related services

■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications
- Browsing repositories (tab 'Files')
- Command line (tab 'Clusters')




■ Open OnDemand

<https://ondemand.metacentrum.cz/>

- Web application on OpenPBS scheduler
- Running (not only)
- Browsing repository
- Command line (tab)

The screenshot displays the Open OnDemand web interface. At the top, there is a navigation bar with the 'metacentrum' logo and several menu items: 'Files', 'Jobs', 'Clusters', 'Interactive Apps', and 'My Interactive Sessions'. A dropdown menu is open under the 'Clusters' menu, listing options: '>_ Perian Shell Access', '>_ Skirit Shell Access', 'System Status', '>_ Tarkil Shell Access', and '>_ Zenith Shell Access'. The main content area features a grid of application tiles, each with an icon and a label: 'Jupyter Lab/Notebook' (with a Jupyter logo), 'RStudio' (with an R logo), 'Matlab' (with a Matlab logo), 'Ansys Fluent' (with the Ansys logo), 'Perian Shell Access' (with a terminal icon), 'MetaCentrum Desktop' (with a monitor icon), 'Job Composer' (with a pencil icon), and 'BIOP Desktop' (with a grid icon). The interface is clean and modern, with a light gray background and orange accents.



4 updates could not be installed automatically. For more details, see /var/log/unattended-upgrades/unattended-upgrades.log
Last login: Sun Sep 28 11:25:00 2025 from ondemand.grid.cesnet.cz

cesnet



Your Home Directories

Avail space	DATA quota	DATA used	FILES quota	FILES used	Backup	Storage
558T	none	200G	none	36	snap	brno12-cerit
110T	4.29T	33.9G	2.5M	31.0k	snap	brno2
22T	3.32T	24k	1M	9	full	budejovice1
37T	10.4G	12k	none	8	-	liberec3-tul
403T	4.29T	1.71T	3M	133k	snap	plzen1
64T	7.34G	44k	none	18	-	praha2-natur
235T	5.36T	940G	1.01M	113k	full	praha5-elixir
69T	7.34G	32k	none	12	full	pruhonice1-ibot
12T	2.14T	80k	2M	33	snap	vestec1-elixir

CPUs

Free	Used	Total	Centre
7923	27738	35661	META

Contact

E-mail: meta@cesnet.cz
Web: http://www.metacentrum.cz/

Tip of the day: Have you ever heard about a Chipster? Chipster is a web-based interactive analysis software for NGS and microarray data. More information at <https://docs.metacentrum.cz/en/docs/related/chipster>.

```
(BOOKWORM)vorel@zenith:~$ pwd
/storage/brno12-cerit/home/vorel
(BOOKWORM)vorel@zenith:~$ qstat -u vorel
```

pbs-m1.metacentrum.cz:

Job ID	Username	Queue	Jobname	SessID	NDS	TSK	Req'd Memory	Req'd Time	Elap S	Elap Time
13264531.pbs-m1.met*	vorel	interac*	STDIN	40155	1	1	400mb	18:00	R	00:11
13264536.pbs-m1.met*	vorel	interac*	STDIN	49799	1	1	400mb	18:00	R	00:00

(BOOKWORM)vorel@zenith:~\$

Themes: Tomorrow

- Default
- Bright**
 - CLRS
 - Github
 - Solarized Light
 - Tomorrow**
- Dark**
 - Cobalt2
 - idleToes
 - Monokai Remastered
 - Pastel Dark
 - Red Alert
 - Tomorrow Night Blue
 - Tomorrow Night Bright
 - Tomorrow Night Eighties
 - Tomorrow Night





Copying text via the clipboard is problematic

■ Open OnDemand



<https://ondemand.metacentrum.cz/>

- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications
- Browsing repositories (tab 'Files')
- Command line (tab 'Clusters')
- Creating and submitting a batch job (tabs 'Jobs' and 'Job Composer')




■ Open OnDemand



- Web
 - Open
 - Run
- en OnDemand provides an integrated, single a
- Active interactive sessions** [view all \(1\)](#)

- Browsing repositories (tab 'Files')
- Command line (tab 'Clusters')
- Creating and submitting a batch job (tabs 'Jobs' and 'Job Composer')



Jobs

[+ New Job](#) [★ Create Template](#)

[Edit Files](#) [Job Options](#) [Open Terminal](#) [Submit](#) [Stop](#) [Delete](#)

Show entries Search:

Created	Name	ID	Cluster	Status
October 1, 2025 2:07pm	(default) Metacentrum simple sequential job		Perian	Not Submitted

Showing 1 to 1 of 1 entries [Previous](#) [1](#) [Next](#)

Job Details

Job Name:
(default) Metacentrum simple sequential job

Submit to:

Account:
Not specified

Script location:

Script name:

Folder Contents:
[main_job.sh](#)

Submit Script

main_job.sh

Script contents:

```
#PBS -N hello_world
#PBS -l ncpus=1
#PBS -l walltime=24:00:00
#PBS -l mem=400mb
#PBS -j oe
##PBS -l scratch_local=1g

cd $PBS_0_WORKDIR
echo "Hello World" > output_file

echo "Created output_file with 'Hello World'"
```

[Open Editor](#) [Open Terminal](#) [Open Dir](#)

/storage/brno2/home/vorel/ondemand/data/sys/myjobs/projects/default/1/main_job.sh

 Save

Key Bindings

Default

Font Size

12px

Mode

Text

Theme

Solarized Light

Wrap

```
1 #PBS -N hello_world_test
2 #PBS -l ncpus=1
3 #PBS -l walltime=1:00:00
4 #PBS -l mem=1gb
5 #PBS -j oe
6 ##PBS -l scratch_local=1g
7
8 cd $PBS_O_WORKDIR
9 echo "Hello World" > output_file
10
11 echo "Created output_file with 'Hello World'"
```

Job was successfully submitted.

Jobs

+ New Job ▾

☆ Create Template

📄 Edit Files

⚙️ Job Options

📄 Open Terminal

▶ Submit

■ Stop

🗑 Delete

Show 25 ▾ entries

Search:

Created	Name	ID	Cluster	Status
October 1, 2025 2:07pm	(default) Metacentrum simple sequential job	13351946.pbs-m1.metacentrum.cz	Perian	Completed

Showing 1 to 1 of 1 entries

Previous 1 Next

Job was successfully submitted. ✕

Jobs

+ New Job ▾

☆ Create Template

[Edit Files](#) [Job Options](#) [Open Terminal](#) [Submit](#) [Stop](#) [Delete](#)

Show 25 ▾ entries

Search:

Created	Name	ID	Cluster	Status
October 1, 2025 2:07pm	(default) Metacentrum simple sequential job	13351946.pbs-m1.metacentrum.cz	Perian	Completed

Showing 1 to 1 of 1 entries

Previous 1 Next

Job Details

13351946.pbs-m1.metacentrum.cz

Job Name:

(default) Metacentrum simple sequential job

Submit to:

Perian

Account:

Not specified

Script location:

/storage/brno2/home/vorel/ondemand/data/sys/myjobs/projects/default/1

Script name:

main_job.sh

Folder Contents:

- [hello_world_test.o13351946](#)
- [main_job.sh](#)
- [output_file](#)

/storage/brno2/home/vorel/ondemand/data/sys/myjobs/projects/default/1/output_file

 Save

Key Bindings

Default

Font Size

12px

Mode

Text

Theme

Solarized Light

Wrap

1 Hello World


2

■ Open OnDemand



<https://ondemand.metacentrum.cz/>


- Web application on top of OpenPBS scheduler
- Running (not only) GUI applications
- Browsing repositories (tab 'Files')
- Command line (tab 'Clusters')
- Creating and submitting a batch job (tabs 'Jobs' and 'Job Composer')
- Running virtual machines (OpenStack) and Docker images (Kubernetes on OpenStack)




Galaxy useGalaxy.cz

<https://usegalaxy.cz/>

- National instance hosted by MetaCentrum
- Web application based on OpenPBS
- A system for complex data analysis, workflow creation and sharing and teaching
- Processing of '-omic' data, LLM, ML, material science, ecology, chemistry, statistical analysis and humanities studies, and more
- Users do not need to worry about hardware reservation



The screenshot shows the Galaxy web interface for useGalaxy.cz. The top navigation bar includes 'Upload', 'Tools', 'Workflows', 'Workflow Invocations', 'Interactive Tools', 'Visualization', 'Histories', 'History Multiview', 'Datasets', 'Pages', and 'Libraries'. The 'Tools' panel is open, showing a search bar and a list of tool categories: 'GENERAL TEXT TOOLS' (Text Manipulation, Filter and Sort, Join, Subtract and Group, Convert Formats) and 'GENOMIC FILE MANIPULATION' (FASTA/FASTQ, Quality Control, SAM/BAM, BED, VCF/BCF, Nanopore, Extract Features, Operate on Genomic Intervals, Fetch Sequences / Alignments). The main content area features the 'useGalaxy.cz' logo, a welcome message, and links for 'Galaxy UI', 'Galaxy History', 'Window Manager', and 'Deferred Datasets'. Logos for 'e-INFRA CZ', 'elixir CZECH REPUBLIC', 'Co-funded by the European Union', 'Ministry of Education, Youth and Sports', 'National Czech Programme', and 'eosc' are displayed at the bottom.



Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Tools

search tools

Upload Data

Get Data

External Data

Send Data

Collection Operations

GENERAL TEXT TOOLS

Text Manipulation

Filter and Sort

Join, Subtract and Group

Convert Formats

GENOMIC FILE MANIPULATION

FASTA/FASTQ

Quality Control

SAM/BAM

BED

VCF/BCF

Nanopore

Extract Features

Operate on Genomic Intervals

Fetch Sequences / Alignments

GENOMICS ANALYSIS

Assembly

useGalaxy.cz

Welcome to the Czech Galaxy instance of [E-Infra CZ](#) and [ELIXIR CZ](#) hosted at [MetaCentrum](#). We aim to enable accessible, reproducible, and transparent computational research in Czechia. We support thousands of documented and maintained tools that are free to use and backed by a robust public infrastructure.

Please visit our [Documentation](#) for details about using this service. In case of any further questions, please contact us at galaxy@cesnet.cz.

Have a look at one of our [trainings](#) or you can start with an interactive tour:

[Galaxy UI](#)[Galaxy History](#)[Window Manager](#)[Deferred Datasets](#)

Galaxy is an open platform for supporting data intensive research developed by its [many contributors](#).



Co-funded by
the European Union



National Czech
Programme



Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Tools

search tools

Upload Data

Get Data

External Data

Send Data

Collection Operations

GENERAL TEXT TOOLS

Text Manipulation

Filter and Sort

Join, Subtract and Group

Convert Formats

GENOMIC FILE MANIPULATION

FASTA/FASTQ

Quality Control

SAM/BAM

BED

VCF/BCF

Nanopore

Extract Features

Operate on Genomic Intervals

Fetch Sequences / Alignments

GENOMICS ANALYSIS

Assembly

Upload from Disk or Web to **Unnamed history**

Regular

Composite

Collection

Rule-based

 Drop files here

Type (set all): Auto-detect



Reference (set all):

unspecified (?)

 Choose local file Choose remote files Paste/Fetch data

Start

Pause

Reset

Close

Co-funded by
the European UnionNational Czech
Programme

Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Tools

Upload Data

Get Data

External Data

Send Data

Collection Operations

GENERAL TEXT TOOLS

Text Manipulation

Filter and Sort

Join, Subtract and Group

Convert Formats

GENOMIC FILE MANIPULATION

FASTA/FASTQ

Quality Control

SAM/BAM

BED

VCF/BCF

Nanopore

Extract Features

Operate on Genomic Intervals

Fetch Sequences / Alignments

GENOMICS ANALYSIS

Assembly

Upload from

Regular

search

Label	Details
FTP Directory	Galaxy User's FTP Directory
InvenioRDM TESTING	Testing instance of Invenio, content is NOT preserved and DOIs created in this instance are not real.
Zenodo TESTING	Testing instance of Zenodo, content is NOT preserved and DOIs created in this instance are not real.
Zenodo	Zenodo is a general-purpose open-access repository. For each submission, a DOI is created, making items easily citeable.

Create a new remote file source

+ Create new

Cancel Select

- Upload
 - Tools
 - Workflows
 - Workflow Invocations
 - Interactive Tools
 - Visualization
 - Histories
 - History Multiview
 - Datasets
 - Pages
 - Libraries
 - Notifications
 - More
- Tools
 - Upload Data
 - Get Data
 - External Data
 - Send Data
 - Collection Operations
 - GENERAL TEXT TOOLS**
 - Text Manipulation
 - Filter and Sort
 - Join, Subtract and Group
 - Convert Formats
 - GENOMIC FILE MANIPULATION**
 - FASTA/FASTQ
 - Quality Control
 - SAM/BAM
 - BED
 - VCF/BCF
 - Nanopore
 - Extract Features
 - Operate on Genomic Intervals
 - Fetch Sequences / Alignments
 - GENOMICS ANALYSIS**
 - Assembly
 - Annotation
 - Mapping
 - Variant Calling
 - RNA Analysis
 - Multiple Alignments

Upload from Disk or Web to Unnamed history

Regular Composite Collection Rule-based

You added 1 file(s) to the queue. Add more files or click 'Start' to proceed.

New File 115 b Auto-detect unspecified (?) 0%

Download data from the web by entering URLs (one per line) or directly paste content.

```
https://ftp.ncbi.nlm.nih.gov/genomes/all/GCA/029/291/075/GCA_029291075.1_E_nip/GCA_029291075.1_E_nip_genomic.fna.gz
```

Type (set all): Auto-detect Reference (set all): unspecified (?)

Choose local file Choose remote files Paste/Fetch data **Start** Pause Reset Close

Using 0% of 200.0 GB vorel

History

search datasets

Unnamed history

This history is empty. You can load your own data or get data from an external source.



- Upload
- Tools
 - search tools
- Upload Data
- Get Data
- External Data
- Send Data
- Collection Operations
- GENERAL TEXT TOOLS**
- Text Manipulation
- Filter and Sort
- Join, Subtract and Group
- Convert Formats
- GENOMIC FILE MANIPULATION**
- FASTA/FASTQ
- Quality Control
- SAM/BAM
- BED
- VCF/BCF
- Nanopore
- Extract Features
- Operate on Genomic Intervals
- Fetch Sequences / Alignments
- GENOMICS ANALYSIS**
- Assembly
- Annotation
- Mapping
- Variant Calling
- RNA Analysis
- Multiple Alignments

Upload from Disk or Web to **Unnamed history**

Regular Composite Collection Rule-based

New File 115 b Auto-detect unspecified (?) 100%

Download data from the web by entering URLs (one per line) or directly paste content.

```
https://ftp.ncbi.nlm.nih.gov/genomes/all/GCA/029/291/075/GCA_029291075.1_E_nip/GCA_029291075.1_E_nip_genomic.fna.gz
```

Type (set all): Auto-detect Reference (set all): unspecified (?)

History

search datasets

Unnamed history

0 B 1

1: GCA_029291075.1_E_nip_g
enomic.fna.gz



Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Notifications

More

Tools

search tools

Upload Data

Get Data

External Data

Send Data

Collection Operations

GENERAL TEXT TOOLS

Text Manipulation

Filter and Sort

Join, Subtract and Group

Convert Formats

GENOMIC FILE MANIPULATION

FASTA/FASTQ

Quality Control

SAM/BAM

BED

VCF/BCF

Nanopore

Extract Features

Operate on Genomic Intervals

Fetch Sequences / Alignments

GENOMICS ANALYSIS

Assembly

Annotation

Mapping

Variant Calling

RNA Analysis

Multiple Alignments

Upload from Disk or Web to Unnamed history

Regular Composite Collection Rule-based

New File 115 b Auto-detect unspecified (?) 100%

Download data from the web by entering URLs (one per line) or directly paste content.

```
https://ftp.ncbi.nlm.nih.gov/genomes/all/GCA/029/291/075/GCA_029291075.1_E_nip/GCA_029291075.1_E_nip_genomic.fna.gz
```

Type (set all): Auto-detect Reference (set all): unspecified (?)

Choose local file Choose remote files Paste/Fetch data Start Pause Reset Close

History

search datasets

Unnamed history

295 MB

1: GCA_029291075.1_E_nip_genomic.fna.gz



Co-funded by
the European Union



National Czech
Programme



- Upload
- Tools
 - search tools
- Upload Data
- Get Data
- External Data
- Send Data
- Collection Operations
- GENERAL TEXT TOOLS
 - Text Manipulation
 - Filter and Sort
 - Join, Subtract and Group
 - Convert Formats
- GENOMIC FILE MANIPULATION
 - FASTA/FASTQ
 - Quality Control
 - SAM/BAM
 - BED
 - VCF/BCF
 - Nanopore
 - Extract Features
 - Operate on Genomic Intervals
 - Fetch Sequences / Alignments
- GENOMICS ANALYSIS
 - Assembly
 - Annotation
 - Mapping
 - Variant Calling
 - RNA Analysis
 - Multiple Alignments
- Workflows
- Workflow Invocations
- Interactive Tools
- Visualization
- Histories
- History Multiview
- Datasets
- Pages
- Libraries
- Notifications
- More

1: GCA_029291075.1_E_nip_genomic.fna.gz ok

21,044 sequences
format **fasta.gz** database ? size **281.4 MB**

Preview Visualize Details Edit

This dataset is large and only the first megabyte is shown below.
[Show all](#) | [Save](#)

>JAQBSW010000001.1 Eudiplozoon nipponicum isolate JV_EN_01 E_nip_1, whole genome shotgun sequence

```

gcaatgttctctcattcgagtaattaaccgtctggtcgatcggccctacgtaagtgtgatcgacaacttgcgcgatgtatctt
ggtaaaaaaatatttgatattgacattaacgactgtttctctttgattactggtaaaaggcaagtggttacactaaataac
actcgtagtttagctgcattaaatgctgttaatgctgcttcaactttcttttggctcattcgggaaactgcatccac
cataaatgggatgttaggtagacgctttctttctggccgtaataagctgctttctggttgatcctcttttaataat
tgattcaatataatagtCTAGGATaccattagacattaaatcgtaaatgtctttatataatatttcttttagaatt
gactaaccaaacctgtcaattcttaaaaagcaaccgaaactgttgataatttatattgaaatggtaaaaaactgctgtat
aacaatactgtgcagaccattgtggttatggtaaatgttctgttttaattaccattagtttttattaaatagtata
tctaggaaaggcagacagtcattcttctcgtgctctgtcgtgaagccgatattctatgtgctttgttgaactttaag
taatgttctgtgattgcgacctgttcttaagtacaagaatataatcatccacgtaccgtatatttgagcacatttaata
tgtattttctagggtccctagaaaaactcagccaacactggagataaggggcttccattgagcacacatttcattaat
tactttgcgctccaccttgtctatttcatctgattatcgtctagacgtgtgaattttgtattgcatttaaacagctttc
catcttttgtagctagtcagatttgtccattataagtcgctctttctttgcgctcttctgacttaagaacaggtcgcaa
tcacgcaacattgcttcaaggtttcaacaagcacataagaataatcggcttcacgctcggagcagagaagagtgactgtct
gcctttccctagatgactattaaagaagaactaatggtaacttaaacagaaacatttaccataaaaccaatggctcg
cacagtattgtcataaacagcagttttgtgctatttaacataaattatcaacagttcgtgggtgcttttcaagaatgac
agggtggtagtcaagattcctaagaaaaatgaataataaaagcaattaacggtttaattgtcattggctatcccagaca
attaattgaatcaattataaaaggggagttaacagaaacagacgtattatgggcccagaaaagaaaatagctaccctaa
acataccatttaagggggatgacgtctcccgaatggcacaagaagaagatgaagcagcattgacacacacatttaattgca
gcaaacctacagagtgattttagggttaacacacttgcctttactagcaatcaagagaacacagcgttaattgtcgatc
aaatattatttaccatattgcatgcatgttgcgatcaacttactagtagcagcagcaggttaattactcgaa
tgagagaacattgcaacttaaacgcccgttttaaatcaaatggatgaatcacgctctgctattgcaacacacatcatcgaa
gcatcgacgtagtcttcagacgtagcattcaagtaattactaaatgcaaaaacaaagggagctagccacattatgg
ataaacaattgcagcggatttatgcaagcagaagaagcagcgtacaagcattgagcctgaaactggatgtagggcacgca
atggattgggtttccggtttcacactctctctatgttcacatatttctatcttggtttggctttcaaatttatataaaa
atatgttcattagaagatattcagaagaacatgcgaagaaaaattttctgtacctgatataaattcaaatattttgca
taGGCTCTTATGAAACTAAGCTATAGGTGACATAGTTCGCTTTTACGATGCAACATTGATGAGGCAAAATCGTGGC
AAAGAAAAGGCTGTAGGATGTTACCCTGTTTATGAATGCTTAAAGCACTGCTTGGTAAATAGGAAGGTGTTGCCAAT
CGAACCTAGTTATTTCCAGGAACCTCGGGAACACGAGCACGAACTTTATGGTGTCCGACTCTGGAAAAAAGATGCAGCCA
ACATAGGCAACCTTCAATTAGTCTATAAATCAACAATaatgtcatttttataaataaacgaacattgtttgctggggcg
atcATAACCTTttttataatcaggggtgcgaactgttataaaaaactgaccattaaagttctAAAAATTTAGTCATTATA
ATCTAAgattttagttagtagaaaaggcaactcaccagtagacgggttctgcttctattgggaactcatcatgtactggc
ctgtgtagcatccatttagcgttaaagttcgaactaacatccacatctgtcattaaacgaAAGGATACTACGTTATATG
GGGAAATTTGGatagttatttggaaacttagcgCTAAATGGATGATATATAGGCTCTACacaaggaagaagactaaacaa
acgcattagttagtatataactgaaaattgtgctgtagtttggCGGCACAGTGACtggtagtttagaccacacattcggaa
acagacgttcccaggttcgctCCCTGACCGcttcaaatctggcaagtacatgaggagttctcaataaggacgaatccgg
tctactggagcaaatgctgtttctacactgtacaattcttagtttataactgcaaatgtatgacacttaattggatcaggtg
tcatataaggttcgaacacttgattataattatgTCATTTTTGCTACTCAGTGTATGCAACATATTTTATCATCGTTTCC
TCACTATTTAAACCCGAAAAGAAACAATTGACACAGTAGAAAAAAAAGATCAGctaaaaattattagaaaattatagaaa
gcatgcataaaaaataaatagctcACTCACGAGAACACGCTGCCTATCCGATTTAAGTGACTGAGCAAATTTGATGCAC

```

History

search datasets

Unnamed history

295 MB

1: GCA_029291075.1_E_nip_genomic.fna.gz

- Upload
- Tools
 - search tools
- Upload Data
- Get Data
- External Data
- Send Data
- Collection Operations
- GENERAL TEXT TOOLS
 - Text Manipulation
 - Filter and Sort
 - Join, Subtract and Group
 - Convert Formats
- GENOMIC FILE MANIPULATION
 - FASTA/FASTQ
 - Quality Control
 - SAM/BAM
 - BED
 - VCF/BCF
 - Nanopore
 - Extract Features
 - Operate on Genomic Intervals
 - Fetch Sequences / Alignments
- GENOMICS ANALYSIS
 - Assembly
 - Annotation
 - Mapping
 - Variant Calling
 - RNA Analysis
 - Multiple Alignments
- Workflows
- Workflow Invocations
- Interactive Tools
- Visualization
- Histories
- History Multiview
- Datasets
- Pages
- Libraries
- Notifications
- More

1: **GCA_029291075.1_E_nip_genomic.fna.gz** ok

21,044 sequences
format **fasta.gz** database ? size **281.4 MB**

[Preview](#) [Visualize](#) [Details](#) [Edit](#)

This dataset is large and only the first megabyte is shown below.
[Show all](#) | [Save](#)

>JAQBSW01000001.1 Eudiplozoon nipponicum isolate JV_EN_01 E_nip_1, whole genome shotgun sequence
gcaatgttctctcattcgagtaattaaccgtctggtcgatcggccctacgtaagtgtatcgacaacttgcgcatgtatcct
ggtaaaaaaatatttgatattgacattaacgactgtttctctttgattactggtaaaaggcaagtggttacactaaataac
actcgtagtttagctgcattaaatgctgttaatgctgcttcaactttcttttggctcattcgggaaactgcatccac
cataaatgggatgttaggtagacgctttctttctggccgtaataagctgtttctggttgattcctcttttaataat
tgattcaatataatagtCTAGGATaccattagacattaaatcgtaattgctttatataatatttcttttagaatt
gactaaccaacctgtcaattcttaaaaagcaaccgaaactgttgataatttatattgaaatggtaaaaaactgctgtat
aacaatactgtgcagaccattgtggttatggtaaatgttctgttttaattaccattagtttttattaaatagtata
tctaggaaaggcagacagtcattcttctcgtgctgtcgtgaagccgataattctatgtgctttgttgaactttaag
taatgttctgtgattgcgacctgttcttaagtacaagaatataatcatccacgtaccgtatatttgagcacatttaata
tgtattttctagggtccctagaaaaactcagccaacactggagataaggggcttccattgagcacatttcattaat
tactttgcgctccaccttgtctatttcatctgattatcgtctagacgtgtgaattttgtattgcatttaacacgctttc
catcttttgtagctagtcagatttgtccattataagtcgctctttctttgcgctcttctgacttaagaacaggtcgca
tcacgcaactgtctcaaggtttcaacaagcacataagaataatcggcttcacgctcggagcagagaagatgactgtct
gcctttccatagatgactattaaagaagaactaatggtaacttaaacagaaacatttaccataaaaccaatggctg
cacagtattgcataaacagcagttttgtgctatttaacataaattatcaacagttcgtgggtgcttttcaagaatgac
aggttggtagtaagattcaaaagaaaatgaataataaaagcaattaacggtttaattgtcattggctatcccagaca
attaattgaatcaattataaaaggggagttaacagaaacagacgtattatgggcccagaaaagaaaatagctaccctaa
acataccatttaagggggatgacgtctcccgaatggcacaagaaagatgaagcagcattgacacacacatttaattgca
gcaaacctacgagtgattttagggtaacacacttgcctttactagcaatcaagagaacacagcgttaattgtcgatc
aaatattttaccatattgcatgcatgttctgcatcaacttactagcagcagcagcaggttaattactcgaa
tgagagaacattgcaacttaaacgcccgttttaaatcaaatggatgaatcacgctctgctattgcaacacacatcagaa
gcatcgcacgtatgttctcagacgtagcattcaagtaattactaaatcaaaaaaaagggagctagccacattatgg
ataaacaattgcagcggatttatgcaagcagaagaagcagcgtacaagcattgagcctgaactggatgtagggcagca
atggattgggtttccggtttcacactctctctatgttcacatatttctatctgttttgcctttcaaatttatataaaa
atatgttcattagaagatattcagaagaacatgcgaagaaaattttctgtacctgataaattcaaatattttgca
taGGCTCTTATGAAACTAAGCTATAGGTGACATAGTTCGCTTTACGTATGCAACATTGATAGGCAGAAATCGTGGC
AAAGAAAAGGCTGATAGGATGTTACCCTGTTTATGAATGCTTAAAGCACTGCTTGGTAAATAGGAAGGTGTTGCCAAT
CGAACCTAGTTATTTCCAGGAACCTCGGAACACGAGCACGAACTTTATGGTGTCCGTACCTGGAAAAAAGATGCAGCCA
ACATAGGCAACCTTCAATTAGTCTATAAATCAACAATaatgtcatttttataaataaacgaacattgtttgctggggc
atcATAACCTTttttataatcaggggtgcgaactgttataaaaacctgaccattaaagttctAAAAATTTAGTCATTATA
ATCTAAgattttagttagtaaaaaggcaactcaccagtagacgggttctgcttctattgggaactcatcatgtactggc
ctgtgtagcatccatttagcgttaaagttcgaactaacatccacatctgtcattaaacgaAAGGATACTACGTTATATG
GGGAAATTTGGatagttatttggaaacttagcgCTAAATGGATGATATATAGGCTCTACacaaggaagactaaacaa
acgcattagttagtatataactgaaaattgtgctgattttgCGGCACAGTGACTcggtagtttagaccacacattcggaa
acagacgttcccaggttcgctCCCTGACCGcttcaaatctggcaagtacatgaggagttctcaataggacgaatcgg
tctactggacgaattgctgtttctacactgtacaattcttagtttatactgcaaatgtatgacacttaattggatcaggtg
tcatataagttcgaacactgtattataattatgTCATTTTTGCTACTCAGTGTATGCAACATATTTTATCATCGTTTCC
TCACTATTTAAACCCGAAAGAAACAATTGACACAGTAGAAAAAAGATCAGctaaaaattattagaaaattatagaaa
gcatgcataaaaaataaatagctcACTCACGAGAACCGCTGCCTATCCGATTTAAGTGACTGAGCAAATTTGATGCAC

History + ↔ ≡

search datasets ▼ ✕

Unnamed history ✎

295 MB 📍 🔄

⌵ ⚙️

1: **GCA_029291075.1_E_nip_geno** 🔍 ✎ 🗑️

mic.fna.gz

- Upload
- Tools
- Workflows
- Workflow Invocations
- Interactive Tools
- Visualization
- Histories
- History Multiview
- Datasets
- Pages
- Libraries
- Notifications
- More

Tools

statistics

Show Sections

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz ok

21,044 sequences
format **fasta.gz** database ? size **281.4 MB**

Preview Visualize Details Edit

Edit Dataset Attributes

Attributes Datatypes Permissions

Name
renamed_GCA_029291075.1_E_nip_genomic.fna.gz

Info
My genome file

Annotation - optional
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam justo enim, consectetur nec, ullamcorper ac, vestibulum in, elit. Maecenas aliquet accumsan leo.

Add an annotation or notes to a dataset, annotations are available when a history is viewed.

Database/Build - optional
unspecified (?)

Save Auto-detect

History

search datasets

Unnamed history

Annotation (optional)

Add Tags

Save Cancel

295 MB

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz

Tools

statistics

Show Sections

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz ok

21,044 sequences

format **fasta.gz** database ? size **281.4 MB**

Preview

Visualize

Details

Edit

Edit Dataset Attributes

Attributes

Datatypes

Permissions

Name

renamed_GCA_029291075.1_E_nip_genomic.fna.gz

Info

My genome file

Annotation - optional

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam justo enim, consectetur nec, ullamcorper ac, vestibulum in, elit. Maecenas aliquet accumsan leo.

Add an annotation or notes to a dataset; annotations are available when a history is viewed.

Database/Build - optional

unspecified (?)

Save

Auto-detect

History

search datasets

Unnamed history

Unnamed history

Annotation (optional)

Add Tags

Save

Cancel

295 MB

1

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz

Tools

statistics

Show Sections

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.

Fasta Statistics display summary statistics for a FASTA file (Galaxy Version 2.0)

Run Tool

Tool Parameters

FASTA or Multi-FASTA file *

Select a dataset

accepted formats

FASTA dataset to get sta

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz (as fasta)

Estimated genome size - optional

This parameter is optional. If provided, it will be used for calculating the NG50 statistic. (--genome_size)

Generate gap stats

 No

(--gaps_option)

Additional Options

Email notification

 No

Send an email notification when the job completes.

Attempt to re-use jobs with identical parameters?

 No

This may skip executing jobs that you have already run.

Run Tool

Help

Purpose

Displays the summary statistics for a FASTA file.

Outputs

This tool generates two outputs: a general summary and an optional gap stats file.

The general summary includes the following information:

- Lengths: n50, min, max, median and average
- Number of base pairs: A, C, G, T, N, Total and Total_not_N
- Number of sequences
- GC content

In addition the optional gap stats BED file includes the information about gaps localization.

History

search datasets

Unnamed history

Unnamed history

Annotation (optional)

Add Tags

Save Cancel

295 MB

1

1: renamed_GCA_029291075.1_E_nip_genomic.fna.gz



Upload



Tools



Workflows

Workflow
InvocationsInteractive
Tools

Visualization



Histories

History
Multiview


Datasets



Pages



Libraries



Notifications



More

Tools

statistics



Show Sections

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.



Started tool **Fasta Statistics** and successfully added 1 job to the queue.

It produces this output:

- **2: Fasta Statistics on data 1: summary stats**

You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.

Here is a link to the job: [83e4c30195971270](#)

History

search datasets

Unnamed history

Unnamed history

Annotation (optional)

Add Tags

Save

Cancel

295 MB

2 1

☑

2: **Fasta Statistics on data 1: summary stats**

1: **renamed_GCA_02929107_5.1_E_nip_genomic.fna.gz**

Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Notifications

More

Tools

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.



Started tool **Fasta Statistics** and successfully added 1 job to the queue.

It produces this output:

- **2: Fasta Statistics on data 1: summary stats**

You can check the status of queued jobs and view the resulting data by refreshing the History panel. When the job has been run the status will change from 'running' to 'finished' if completed successfully or 'error' if problems were encountered.

Here is a link to the job: [83e4c30195971270](#)

History

Unnamed history

1.25 GB

2 1

2: Fasta Statistics on data 1: summary stats

1: renamed_GCA_02929107
5.1_E_nip_genomic.fna.gz

Upload

Tools

Workflows

Workflow Invocations

Interactive Tools

Visualization

Histories

History Multiview

Datasets

Pages

Libraries

Notifications

More

Tools

Show Sections

Statistics on presence-absence of a numeric variable

Summary Statistics for any numerical column

FASTQ Summary Statistics by column

Fasta Statistics display summary statistics for a FASTA file

SeqKit statistics of FASTA/Q files

Compute quality statistics

Genome annotation statistics

Read length statistics from a set of FAST5 files

BAM Index Statistics

Stacks: statistics on stacks found for multiple samples

MiModD Coverage Statistics calculates coverage statistics for a BCF file as generated by the MiModd Variant Calling tool

ProteomIQon PSMStatistics utilizes semi supervised machine learning techniques to integrate search engine scores as well as the mentioned quality scores into one single consensus score.

MapStatistics Extract extended statistics on the features of a map for quality control

zonal statistics over each area

Boxplot of quality statistics

Dr. Disco (classify) Classifies detected break-points in RNA-seq based on corresponding statistics and blacklists

cmstat Summary statistics for covariance model

BAM/SAM Mapping Stats reads mapping statistics for a provided BAM or SAM file.

2: Fasta Statistics on data 1: summary stats ok

30 lines 2 columns

format **tabular** database ? size **664 b**
[Preview](#) [Visualize](#) [Details](#) [Edit](#)

Column 1	Column 2
Scaffold L50	3219
Scaffold N50	87067
Scaffold L90	11600
Scaffold N90	19508
Scaffold len_max	557136
Scaffold len_min	4973
Scaffold len_mean	44658
Scaffold len_median	23894
Scaffold len_std	52885
Scaffold num_A	305506036
Scaffold num_T	305603756
Scaffold num_C	164346741
Scaffold num_G	164346396
Scaffold num_N	0
Scaffold num_bp	939802929
Scaffold num_bp_not_N	939802929
Scaffold num_seq	21044
Scaffold GC content overall	34.97
Contig L50	3219
Contig N50	87067
Contig L90	11600
Contig N90	19508
Contig len_max	557136
Contig len_min	4973
Contig len_mean	44658

History

search datasets

Unnamed history

1.25 GB

2 1

2: Fasta Statistics on data 1: summary stats

 1: renamed_GCA_02929107
5.1_E_nip_genomic.fna.gz



Web hosting can be arranged, but please discuss this in advance.



kubernetes




Other related services

<https://docs.cerit.io/en/docs/platform/overview>

■ Kubernetes

- Open-source container orchestration engine that automates the deployment, scaling and management of containerised applications
- A Docker image is an essential part of container infrastructure. It contains an application and all its necessary components, such as libraries and other files


<https://docs.cerit.io/en/docs/news>



■ AI chatbot (Open WebUI)

<https://docs.cerit.io/en/docs/ai-as-a-service/chat-ai>

- The AI-powered chatbot interface runs strictly on local hardware
- Open WebUI itself logs at the 'INFO' level by default, meaning that request/response data is not logged
- Only system administrators have access to these logs, which are not transmitted anywhere else
- Image generator and picture editor included
- Can extract text from images (e.g. Mistral 3 model)
- Programming languages proficiency
- REST API (integrate models into applications, scripts, or AI workflows)



- Open WebUI
- New Chat
- Search
- Notes
- Workspace
- Folders
- Chats
- Today
- Sticky Header Demo

GPT OSS 120B

Search a model

Model similar to OpenAI's Mini series, optimized for everyday use.

- GPT OSS 120B
- DeepSeek v3.2
- Mistral 3 Large
- GLM 4.7
- Qwen3-Coder-480B
- Mistral-Small 3.2
- Phi4

 You can select any available model and view its notes

GPT OSS 120B

Model similar to OpenAI's Mini series, optimized for everyday use.

How can I help you today?

+ [grid icon] [microphone icon] [voice icon]

- ⚡ Suggested
- Give me ideas**
for what to do with my kids' art
 - Tell me a fun fact**
about the Roman Empire
 - Help me study**
vocabulary for a college entrance exam



openstack®



kubernetes

Other related services

■ Compute cloud


<https://docs.platforms.cloud.e-infra.cz/en/docs>


- Runs on OpenStack (allows users to create and manage their own cloud computing resources)
- 17 computational clusters with 8,968 cores, 96 GPU cards, and 178 TB RAM
- Virtual machines are accessed using SSH keys

■ Sensitive cloud

<https://docs.cerit.io/en/docs/sensitivecloud/account>

- Secured computing and storage environment provided by CERIT-SC (part of e-INFRA CZ) for sensitive data processing and research
- Follows security standards such as ISO 27000, C5, ISO 15189, and ECRIN
- Relies on container technology via Kubernetes, MFA required





How should it be used (MetaCentrum CLI)?

<https://docs.metacentrum.cz/en/docs/access/account>

<https://docs.metacentrum.cz/en/docs/access/terms>

Submitting an application

- Anytime during the year, manual approval
- Log in through the institution (i.e. local name and password) from the eduID federation
- Accounts are valid until 2 February of the following year
- Accounts are renewed in January
- Immediate access to hardware resources
- Partner access by prior arrangement

The screenshot shows the eduID.cz login interface. At the top left is the eduID.cz logo with 'cesnet' in red. Below it, two main options are presented in white boxes with grey borders:

- I have an account in a member organisation of eduID.cz**
- My organisation is not in eduID.cz and I need to validate my alternative identity**

Below these options is a section titled "Direct links to selected institutions from eduID.cz" containing a grid of 12 institution logos and names:

 Masarykova univerzita	 Univerzita Karlova	 Západočeská univerzita v Plzni
 Jihočeská univerzita v Českých Budějovicích	 Univerzita Palackého v Olomouci	 Univerzita Pardubice
 CESNET	 České vysoké učení technické v Praze	 Mendelova univerzita v Brně
 Technická univerzita Liberec	 Vysoká škola báňská - Technická univerzita Ostrava	 Vysoké učení technické v Brně



Most new applications are approved within one or two working days

Submitting an application

- Anytime during the year, manual approval
- Log in through the institution (i.e. local name and password) from the eduID federation
- Accounts are valid until 2 February of the following year
- Accounts are renewed in January
- Immediate access to hardware resources
- Partner access by prior arrangement

Log in with


- Institute of Chemical Process Fundamentals of the AS CR
- Institute of Experimental Botany AS CR
- Institute of Experimental Medicine CAS
- National Institute of Mental Health

CESNET Personal data processing

<https://docs.metacentrum.cz/en/docs/computing/infrastructure/frontends>

- Primary access point
- SSH access via password (creating a Kerberos ticket)
 - SSH keys are not supported
 - A valid Kerberos ticket enables you to submit tasks and browse the infrastructure
 - Beware of leaving sessions open for too long – ticket validity is only 10 hours
 - You can generate Kerberos tickets on a local PC and log in without a password

<https://docs.metacentrum.cz/en/docs/access/security/kerberos>






Geographically separated servers mean better distribution of users and load, which makes the servers more stable and provides an alternative during an outage

Frontend servers

- Primary access point
- SSH access via password
 - SSH keys are not supported
 - A valid Kerberos ticket en infrastructure
 - Beware of leaving session
 - You can generate Kerberos

Frontend address	Aliased as	Native home	OS	Physically located in	Note
charon.nti.tul.cz	charon.metacentrum.cz	/storage/liberec3-tul	Debian 12	Liberec	
elmo.elixir-czech.cz	elmo.metacentrum.cz	/storage/praha5-elixir	Debian 12	Praha	Elixir users
nympha.meta.zcu.cz	nympha.metacentrum.cz, nympha.zcu.cz, minos.zcu.cz, minos.meta.zcu.cz, alfrid.meta.zcu.cz	/storage/plzen1	Debian 12	Plzen	
metafzu.fzu.cz	metafzu.metacentrum.cz	/storage/praha1	Debian 12	Praha	dedicated for FZU users
oven.metacentrum.cz		/storage/brno2	Debian 12	Brno	oven node only
perian.grid.cesnet.cz	perian.metacentrum.cz, onyx.metacentrum.cz	/storage/brno2	Debian 12	Brno	
skirit.ics.muni.cz	skirit.metacentrum.cz	/storage/brno2	Debian 12	Brno	
tarkil.grid.cesnet.cz	tarkil.metacentrum.cz	/storage/praha1	Debian 12	Praha	
tilia.ibot.cas.cz	tilia.metacentrum.cz	/storage/pruhonice1-ibot	Debian 12	Pruhonice	
zenith.cerit-sc.cz	zenith.metacentrum.cz	/storage/brno12-cerit	Debian 12	Brno	



<https://docs.metacentrum.cz/en/docs/computing/infrastructure/frontends>

- Primary access point

- SSH access via password (creating a Kerberos ticket)


- SSH keys are not supported
- A valid Kerberos ticket enables you to submit tasks and browse the infrastructure
- Beware of leaving sessions open for too long – ticket validity is only 10 hours
- You can generate Kerberos tickets on a local PC and log in without a password

<https://docs.metacentrum.cz/en/docs/access/security/kerberos>

- Do not run calculations on frontends

- They are small virtual machines
- They are at risk of significant slowdown or crashing
- Automatic mechanisms terminate demanding and/or long processes
- Even for short tests, an interactive task is more suitable

<https://docs.metacentrum.cz/en/docs/computing/run-basic-job#interactive-job>



■ Primary access

■ SSH access

- SSH keys and
- A valid Kerberos
- Beware of
- You can get

■ Do not run

- They are shared
- They are available
- Automatic

Dear user,

one or more your processes running on the frontend skirit.ics.muni.cz exceeded limits for more than limits, see below. This situation has negative impact on other users working on the frontend. The following process was terminated by the system.

User:

```
PID TTY ELAPSED TIME CMD
855050 pts/50 7583 6111 gzip -d
```

PID - a number representing the process ID on skirit.ics.muni.cz
TTY - controlling tty (terminal)
ELAPSED - elapsed time since the process was started, in seconds
TIME - cumulative CPU time, in seconds
CMD - command with all its arguments

Limits:

```
>2h wall_time AND >1h cpu_time AND >30% average_cpu_usage
```

Please consider that frontends are shared among all users. If you need to run interactively some demanding activity, like working with huge amount of data or software compilation, please don't use the frontend but rather reserve some computing node for an interactive jobs. Such operations could slow down the frontend and bother other users.

<https://docs.metacentrum.cz/en/docs/computing/run-basic-job>

Please note this is an automatically generated e-mail. If you have any questions concerning this particular job or future strict limits enforcement, please contact us on meta@cesnet.cz.

Best regards,
MetaCentrum

ntend servers

computing/infrastructure/frontends


/access/security/kerberos

the infrastructure
s only 10 hours
hout a password

computing/run-basic-job#interactive-job

cesses

re suitable



Disk storage arrays

- Several geographically separated disk arrays (storages) are available

<https://docs.metacentrum.cz/en/docs/computing/infrastructure/mount-storages>

- Designed for so-called live data

<https://docs.metacentrum.cz/en/docs/data/storage-department>


- Backups of valuable primary data and results preferably to S3/NRP object storage

<https://docs.du.cesnet.cz/en/docs/object-storage-s3/s3-service>

- Available to all users
- `s3cmd/s5cmd` commands are available for manipulating data on S3 storage
- Need to request the creation of an S3 bucket ('folder') and create a configuration file



By default, a user's home directories have permissions set to 755 (= other users can read it). To increase privacy, permissions can be set to 700 on `/storage/city/home/$USER`.



- Several geographically separated disk arrays (storages) are available

<https://docs.metacentrum.cz/en/docs/computing/infrastructure/mount-storages>

- Designed for so-called live data

<https://docs.metacentrum.cz/en/docs/data/storage-department>


- Backups of valuable primary data and results preferably to S3/NRP object

st

Configuring the S3cmd Tool

Add the following lines to the configuration file located at `/home/user/.s3cfg`.

```
[default]
host_base = https://s3.clX.du.cesnet.cz
use_https = True
access_key = xxxxxxxxxxxxxxxxxxxxxxxxxxxx
secret_key = xxxxxxxxxxxxxxxxxxxxxxxxxxxx
host_bucket = s3.clX.du.cesnet.cz
```




Disk storage arrays

- Several geographically separated disk arrays (storages) are available
- Designed for so-called live data
 - Backups of valuable primary data and results preferably to S3/NRP object storage
 - Available to all users
 - *S3cmd/s5cmd* commands are available for manipulating data on S3 storage
 - Need to request the creation of an S3 bucket ('folder') and create a configuration file
- User quotas are set for the total volume of data and the number of files
 - Storage capacity is not unlimited (keep only needed data)
 - Disk storages come in different sizes and quotas are set the same for everyone
 - Some disk storages have owners with higher quotas
 - Manipulating many small files is more problematic (use archives)

<https://docs.metacentrum.cz/en/docs/computing/infrastructure/mount-storages>

<https://docs.metacentrum.cz/en/docs/data/storage-department>

<https://docs.du.cesnet.cz/en/docs/object-storage-s3/s3-service>





Only members of the project Elixir CZ have a high quota on the storage praha5-elixir


Disk storage arrays

Several geographically separated disk arrays (storages) are available

user	dir	space				files			
		used	soft quota	hard quota	grace	used	soft limit	hard limit	grace
vorel	/storage/brno12-cerit/home/vorel	200.55728 GB	-	-	none	35	-	-	none
vorel	/storage/brno2/home/vorel	40.40222 GB	4294.967296 GB	4294.967296 GB	none	31062	2500000	2550000	none
vorel	/storage/budejovice1/home/vorel	24 kB	3323.625472 GB	5522.30912 GB		9	1000000	1100000	
vorel	/storage/liberec3-tul/home/vorel	12 kB	10.48576 GB	15.72864 GB		8	-	-	
vorel	/storage/plzen1/home/vorel	1714.056364 GB	4294.967296 GB	6442.450944 GB	none	133431	3000000	3100000	none
vorel	/storage/praha2-natur/home/vorel	44 kB	7.340032 GB	10.48576 GB		18	-	-	
vorel	/storage/praha5-elixir/home/vorel	940.99644 GB	5369.757696 GB	6014.107648 GB		113327	1010000	1212000	
vorel	/storage/pruhonice1-ibot/home/vorel	32 kB	7.340032 GB	10.48576 GB		12	-	-	
vorel	/storage/vestec1-elixir/home/vorel	80 kB	2147.483648 GB	2202.0096 GB	none	33	2000000	2100000	none

storages
department
service

- Disk storages come in different sizes and quotas are set the same for everyone
- Some disk storages have owners with higher quotas
 - Manipulating many small files is more problematic (use archives)




The concept of multiple home directories and disk storages

 Geographically separated servers mean better distribution of users and load, which makes the servers more stable and provides an alternative during an outage

 All frontend servers can also be reached in the domain 'metacentrum.cz'

Frontend address	Aliased as	Native home	OS	Physically located in	Note
charon.nti.tul.cz	charon.metacentrum.cz	/storage/liberec3-tul	Debian 12	Liberec	
elmo.elixir-czech.cz	elmo.metacentrum.cz	/storage/praha5-elixir	Debian 12	Praha	Elixir users
nympha.meta.zcu.cz	nympha.metacentrum.cz, nympha.zcu.cz, minos.zcu.cz, minos.meta.zcu.cz, alfrid.meta.zcu.cz	/storage/plzen1	Debian 12	Plzen	
metafzu.fzu.cz	metafzu.metacentrum.cz	/storage/praha1	Debian 12	Praha	dedicated for FZU users
oven.metacentrum.cz		/storage/brno2	Debian 12	Brno	oven node only
perian.grid.cesnet.cz	perian.metacentrum.cz, onyx.metacentrum.cz	/storage/brno2	Debian 12	Brno	
skirit.ics.muni.cz	skirit.metacentrum.cz	/storage/brno2	Debian 12	Brno	
tarkil.grid.cesnet.cz	tarkil.metacentrum.cz	/storage/praha1	Debian 12	Praha	
tilia.ibot.cas.cz	tilia.metacentrum.cz	/storage/pruhonice1-ibot	Debian 12	Pruhonice	
zenith.cerit-sc.cz	zenith.metacentrum.cz	/storage/brno12-cerit	Debian 12	Brno	




The concept of multiple home directories and disk storages

 Geographically separated servers mean better distribution of users and load, which makes the servers more stable and provides an alternative during an outage

 All frontend servers can also be reached in the domain 'metacentrum.cz'


 Although disk storage servers cannot be accessed interactively, it is possible to send specific commands to them

Frontend address	Aliased as	Native home	OS	Physically located in	Note
Server	Directory	Backup Class	Note		
storage-brno2.metacentrum.cz	/storage/brno2/	2			
storage-brno11-elixir.metacentrum.cz	/storage/brno11-elixir/	2			dedicated to ELIXIR-CZ
storage-brno12-cerit.metacentrum.cz	/storage/brno12-cerit/	2			
storage-plzen1.metacentrum.cz	/storage/plzen1/	2			
storage-plzen4-ntis.metacentrum.cz	/storage/plzen4-ntis/	3			dedicated to iti/kky groups
storage-praha2-natur.metacentrum.cz	/storage/praha2-natur/	0			
storage-praha6-fzu.metacentrum.cz	/storage/praha6-fzu/	0			
storage-praha5-elixir.metacentrum.cz	/storage/praha5-elixir/	3			
storage-budejovice1.metacentrum.cz	/storage/budejovice1/	3			
storage-liberec3-tul.metacentrum.cz	/storage/liberec3-tul/	0			
storage-pruhonice1-ibot.metacentrum.cz	/storage/pruhonice1-ibot/	3			
storage-vestec1-elixir.metacentrum.cz	/storage/vestec1-elixir/	2			also /storage/praha1/
zenith.cerit-sc.cz	zenith.metacentrum.cz	/storage/brno12-cerit	Debian 12	Brno	



The concept of multiple home directories and disk storages

- Comes from the nature of the grid (distributed) infrastructure
- Generally, with a group of compute clusters in each geographical location there is also a disk storage
- Compute nodes also have a mounted some native home directory
- Compute jobs can run on clusters with a different home directory
- Users cannot rely on the same data being on all nodes
 - Because of different home directories...
 - But everything is accessible, you just need to specify correct path




The concept of multiple home directories and disk storages

```
[(BOOKWORM)vorel@skirit:~$ ls
CASTEP-25.12 META_SUPPORT ondemand OpenMolcas pcangsd Smilei test_crys test_CZ_shift test_phyluce test_unic
[(BOOKWORM)vorel@skirit:~$ pwd
/storage/brno2/home/vorel
[(BOOKWORM)vorel@skirit:~$ ssh adan1
Linux adan1.grid.cesnet.cz 6.1.0-38-amd64 #1 SMP PREEMPT_DYNAMIC Debian 6.1.147-1+zs2 (2025-08-22) x86_64

5 updates could not be installed automatically. For more details,
see /var/log/unattended-upgrades/unattended-upgrades.log

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Tue Aug 12 12:57:42 2025 from nympha.meta.zcu.cz
[(BOOKWORM)vorel@adan1:~$ pwd
/storage/praha1/home/vorel
[(BOOKWORM)vorel@adan1:~$ ls
geometry.in inp.xyz ondemand xyz_to_aims.py
[(BOOKWORM)vorel@adan1:~$
```



The concept of multiple home directories and disk storages

```
name@my_pc:~$ ssh vorel@perian.metacentrum.cz
```

```
vorel@perian.metacentrum.cz's password: ← Type a password
```

```
vorel@perian:~$ pwd
```

```
/storage/brno2/home/vorel ← Where am I?
```

```
vorel@perian:~$ cd /storage/plzen1/home/vorel
```

```
vorel@perian:~$ pwd
```


```
/storage/plzen1/home/vorel ← Hmm, I forgot that my data is on different storage...
```

```
name@my_pc:~$ ssh vorel@minos.metacentrum.cz
```

```
vorel@minos.metacentrum.cz's password: ← Direct access to the same storage through different frontend
```

```
vorel@minos:~$ pwd
```

```
/storage/plzen1/home/vorel
```





By default, data in the scratch directory cannot be read by other users (the main directory has 700 permissions).

<https://docs.metacentrum.cz/en/docs/computing/concepts#scratch-directory>

Scratch storage

- A different type of storage (than the classic home directories)
- An internal part of each compute node
- ONLY for data that is used in a running job
 - Old, unused data can be deleted at any time without warning
- Each job automatically defines a `$SCRATCHDIR` variable
- Direct access to data for CPU/GPU (=faster calculation)
- Every job that reads input data more than once should scratch
 - Reduces network traffic
 - Does not overload the disk storage
 - The task is faster and more robust (e.g. network outages)



■ Different types of scratch can be reserved

■ scratch_local

- On every node, mostly SSH, but can also be HDD, TBs
- Located in `/scratch/USERNAME/job_JOBID`

■ scratch_ssd

- Explicitly requires SSD, not on all nodes, TBs
- Ideal for intensive IO calculations
- Located in `/scratch.ssd/USERNAME/job_JOBID`

■ scratch_shm

- Scratch in RAM, on all nodes, the fastest solution, GBs/TBs
- The RAM reservation (PBS 'mem' parameter) is the sum of data volume (input and output) and memory requirements of the calculation
- Located in `/dev/shm/scratch.shm/USERNAME/job_JOBID`
- Boolean (true/false), reservation via the qsub parameter 'mem'

```
:scratch_local=100gb
```

```
:scratch_ssd=100gb
```

```
:mem=50gb:scratch_shm=true
```



■ scratch_shared

`:scratch_shared=100tb`


- Scratch shared by all the cluster's nodes, TBs, PBb
- Currently only available on Bee (BeeGFS) and Galdor GPU clusters
- No auto-delete policy
- Different directory naming policy in `/scratch.shared/USERNAME/some_folder_name`, it must not start with `'job_'`.
- Suitable for tasks that process one large dataset/database
- Initialisation job copying data, other purely computational

```
qsub -l select=1:ncpus=1:mem=4gb:scratch_local=10gb -l walltime=1:00:00
cp my_input_data.txt $SCRATCHDIR
cd $SCRATCHDIR
...
cp $SCRATCHDIR/my_results.txt /storage/city/home/user_name/
```



- Do not copy (move) large amounts of data (up to 10 GB) via the frontend servers
- Copy (move) the data directly onto the disk storage server
- It's faster, more stable, does not overload network and servers
- SFTP clients are available for Windows users (WinSCP, CyberDuck, FileZilla, etc.)

<https://docs.metacentrum.cz/en/docs/data/large-data>





Users cannot browse disk storage interactively after logging in.
Only individual commands can be sent on them
\$ ssh storage-brno2.metacentrum.cz 'ls'

Copying data

- Do not copy from frontend servers
- Copy (move) data from storage servers
- It's faster, more reliable
- SFTP clients: WinSCP, FileZilla, etc.

Server	Directory	Backup Class	Note
storage-brno2.metacentrum.cz	/storage/brno2/	2	
storage-brno11-elixir.metacentrum.cz	/storage/brno11-elixir/	2	dedicated to ELIXIR-CZ
storage-brno12-cerit.metacentrum.cz	/storage/brno12-cerit/	2	
storage-plzen1.metacentrum.cz	/storage/plzen1/	2	
storage-plzen4-ntis.metacentrum.cz	/storage/plzen4-ntis/	3	dedicated to iti/kky groups
storage-praha2-natur.metacentrum.cz	/storage/praha2-natur/	0	
storage-praha6-fzu.metacentrum.cz	/storage/praha6-fzu/	0	
storage-praha5-elixir.metacentrum.cz	/storage/praha5-elixir/	3	
storage-budejovice1.metacentrum.cz	/storage/budejovice1/	3	
storage-liberec3-tul.metacentrum.cz	/storage/liberec3-tul/	0	
storage-pruhonice1-ibot.metacentrum.cz	/storage/pruhonice1-ibot/	3	
storage-vestec1-elixir.metacentrum.cz	/storage/vestec1-elixir/	2	also /storage/praha1/

<https://docs.metacentrum.cz/en/>



- `localUSER@localPC$ scp data.gz username@skirit.metacentrum.cz:~`
 - Copy the data from the local PC to the users' home on the frontend skirit (storage brno2) from the local PC. Small data sets
- `localUSER@localPC$ scp data.gz username@storage-brno2.metacentrum.cz:~`
 - Copy the data to the users' home on the brno2 storage server from the local PC. Suitable for large data sets
- `$ mv $SCRATCHDIR/results.txt /storage/brno2/home/username/`
 - Move the data from the scratch directory to the users' home on the brno2 storage (via the mounted path). Small data sets
- `$ scp -r $SCRATCHDIR/results storage-brno2.metacentrum.cz:~`
 - Copy folder recursively from the scratch directory to the users' home on the brno2 storage server. Large data sets
- `$ scp -r storage-brno2.metacentrum.cz:~/input_data $SCRATCHDIR`
 - Copy the data (folder, recursively) from the users' home on the brno2 storage server to the scratch directory. Large data sets
- `$ scp storage-brno2.metacentrum.cz:~/text.txt storage-plzen1.metacentrum.cz:~`
 - Copy the data from the users' home on the brno2 storage server to home on plzen1 storage server. Large data sets



Batch job script example

```
#!/bin/bash
#PBS -q default@pbs-m1.metacentrum.cz
#PBS -l walltime=24:0:0
#PBS -l select=1:ncpus=8:mem=100gb:scratch_ssd=50gb:mpiprocs=1:omphreads=8
#PBS -N my_job_name
#PBS -M my_email@xyz
#PBS -m e

ulimit -s unlimited
trap "clean_scratch" TERM EXIT
export TMPDIR=$SCRATCHDIR

# test if a scratch directory exists
# variable SCRATCHDIR is set automatically
test -n "$SCRATCHDIR" || { echo >&2 "Variable SCRATCHDIR is not set!"; exit 1; }

# set a DATADIR variable
DATADIR="/storage/brno12-cerit/home/vorel/data/"

# copy input file "data.fa" to the scratch directory
cp $DATADIR/data.fa $SCRATCHDIR || { echo >&2 "Error while copying input file(s)!"; exit }

# move into the scratch directory
cd $SCRATCHDIR


# load a module for your application
module add blast-plus/blast-plus-2.12.0-gcc-8.3.0-ohlv7t4

# run the calculation
# do not forgeto to use reserved CPUs by '-num_threads' flag
# variable PBS_NCPUS is a number of CPUs requested for the entire job
blastp -query data.fa <other_parameters> -num_threads $PBS_NCPUS -out results.txt

#copy results
cp results.txt $DATADIR || export CLEAN_SCRATCH=false
```

- Define HW resources (**-l**), queue (**-q**), and walltime (**-l**), set the job name (**-N**) and email alert (**-m**)
- You can define as many variables as you want
- Available modules can be listed by command **module avail *key_word*** on any frontend
- The scratch directory will be cleaned automatically

<https://docs.metacentrum.cz/en/docs/computing/run-basic-job#batch-job>



Interactive job

- The opposite of batch jobs (waiting for the user's input...)
- Best choice for test calculations (which should not be run directly on frontends)
- An interactive job is requested by the qsub command with the `-I` (uppercase "i") option


<https://docs.metacentrum.cz/en/docs/computing/run-basic-job#interactive-job>

```
(BUSTER)vorel@skirit:~$ qsub -I -l select=1:ncpus=4:mem=50gb:scratch_local=30gb -l walltime=1:00:00
qsub: waiting for job 11405230.meta-pbs.metacentrum.cz to start
qsub: job 11405230.meta-pbs.metacentrum.cz ready

vorel@zenon31:~$ cd $SCRATCHDIR
vorel@zenon31:/scratch.ssd/vorel/job_11405230.meta-pbs.metacentrum.cz$ module add orca/orca-5.0.1-intel-19.0.4-bnofsgq
vorel@zenon31:/scratch.ssd/vorel/job_11405230.meta-pbs.metacentrum.cz$ module list
Currently Loaded Modulefiles:
  1) metabase                2) openmpi/openmpi-4.0.4-intel-19.0.4-gpu-xri6uan  3) orca/orca-5.0.1-intel-19.0.4-bnofsgq
vorel@zenon31:/scratch.ssd/vorel/job_11405230.meta-pbs.metacentrum.cz$
vorel@zenon31:/scratch.ssd/vorel/job_11405230.meta-pbs.metacentrum.cz$ ...time for coffee...
-bash: ...time: command not found
vorel@zenon31:/scratch.ssd/vorel/job_11405230.meta-pbs.metacentrum.cz$ orca < input > output
```



- **GPU acceleration for significant speedup of calculations**
- ~140 nodes, ~500 GPU cards (GTX 1080Ti - H100 100GB)
- Requires application with GPU support
- Maximum eight GPU cards on a single node, typically two or four
- Special DGX cluster with eight Nvidia H100 80GB GPU cards
 - Grant competition
- Specific parameters
 - **gpu_mem** (minimum amount of memory on the card)
 - **gpu_cap** (a minimal version of GPU architecture)
 - **cuda_version** (version of CUDA installed on the node)



■ GP

■ ~14

■ Rec

■ Ma

■ Spe

■

■ Spe

■

■

■

Cluster	Nodes	GPUs per node	Compute capability	Mem [GB]	CuDNN
alfrid.meta.czu.cz	afrid[1-4].meta.czu.cz	2x L40	8.9	46	YES
alfridll.meta.czu.cz	afrid[6-9].meta.czu.cz	4x L40s	8.9	48	YES
bee.cerit-sc.cz	bee[1-10].cerit-sc.cz	2x H100 NVL	9.0	96	YES
copy.cerit-sc.cz	copy.cerit-sc.cz	8x H100	9.0	82	YES
cha.natur.cuni.cz	cha.natur.cuni.cz	8x GeForce RTX 2080 Ti	7.5	12	YES
elbi1.hw.elixir-czech.cz	elbi1[1].hw.elixir-czech.cz	2x NVIDIA A100	8.0	40	YES
fau.natur.cuni.cz	fau[1-3].natur.cuni.cz	8x Quadro RTX 5000	7.5	16	YES
fer.natur.cuni.cz	fer[1-3].natur.cuni.cz	8x RTX A4000	8.6	16	YES
fobos.metacentrum.cz	fobos[1-20].metacentrum.cz	4x L40s	8.9	46	YES
galdor.metacentrum.cz	galdor[1-20].metacentrum.cz	4x A40	8.6	46	YES
glados.cerit-sc.cz	glados[1-2].cerit-sc.cz	2x GeForce RTX 2080	7.5	8	YES
grimbold.metacentrum.cz	grimbold.metacentrum.cz	2x Tesla P100	6.0	12	YES
konos.fav.zcu.cz	konos[1-8].fav.zcu.cz	4x GeForce GTX 1080 Ti	6.1	12	YES
luna2022.fzu.cz	luna[201-206].fzu.cz	1x A40	8.6	46	YES
zia.cerit-sc.cz	zia[1-5].cerit-sc.cz	4x A100	8.0	40	YES

Cluster	Nodes	GPUs per node	Compute capability	Mem [GB]	CuDNN
alfrid.meta.czu.cz	afrid[1-4].meta.czu.cz	2x L40	8.9	46	YES
alfridll.meta.czu.cz	afrid[6-9].meta.czu.cz	4x L40s	8.9	48	YES

```
#!/bin/bash
#PBS -N run1_dorado_mod
#PBS -l select=1:ncpus=4:ngpus=1:mem=30gb:scratch_ssd=250gb:gpu_mem=20gb:gpu_cap=compute_80
#PBS -l walltime=8:0:0

cd $SCRATCHDIR

scp storage-brno12-cerit.metacentrum.cz:~/Metylance_hemonch/RUN_1_IRE/02_run1_IRE_reads.pod5 $SCRATCHDIR
scp -r storage-brno12-cerit.metacentrum.cz:~/Metylance_hemonch/SOFT/dorado_0.9.1/models/dna_r9.4.1_e8_sup@v3.3* $SCRATCHDIR
cp /storage/brno12-cerit/home/vorel/Metylance_hemonch/Haemonch_refer/haemonchus_contortus.PRJEB506.WBPS19.genomic.fa $SCRATCHDIR

export PATH=/storage/brno12-cerit/home/vorel/Metylance_hemonch/SOFT/dorado_0.9.1/bin/:$PATH
export LD_LIBRARY_PATH=/storage/brno12-cerit/home/vorel/Metylance_hemonch/SOFT/dorado_0.9.1/lib/:$LD_LIBRARY_PATH
module add minimap2/2.22

dorado basecaller dna_r9.4.1_e8_sup@v3.3 ./02_run1_IRE_reads.pod5 -v -x cuda:all --min-qscore 5 --trim all \
--reference haemonchus_contortus.PRJEB506.WBPS19.genomic.fa --modified-bases 5mCG_5hmCG > 03_dorado_run1_IRE.bam
```

konos.fav.zcu.cz	konos[1-8].fav.zcu.cz	4x GeForce GTX 1080 Ti	6.1	12	YES
luna2022.fzu.cz	luna[201-206].fzu.cz	1x A40	8.6	46	YES
zia.cerit-sc.cz	zia[1-5].cerit-sc.cz	4x A100	8.0	40	YES

- Apptainer (formerly Singularity) is an alternative to Docker, primarily used for HPC with non-root access
 - Apptainer can work with Docker images and offers GPU and MPI support
- MetaCentrum offers some pre-built (ready-to-use) Singularity images. For example, NGC (NVIDIA GPU Cloud, with Kaldi, PyTorch and TensorFlow), Trinity (an RNA-seq assembler) and OpenFOAM (a numerical solver)
 - NGC images are highly optimised for GPU-accelerated calculations
- Users can also build their own SIFs
- Prevents conflicts

<https://docs.metacentrum.cz/en/docs/software/containers>




The most straightforward way to transfer highly optimised environments, complete with all dependencies and tuned libraries.

■ There are so many different ways

- Binary distributions (precompiled form, download them and use them)
- R, Python, Rust, Perl, Julia, Debian, etc. libraries
- Package managers like Mamba (recommended, fully automated, easy to use)
- Docker (Kubernetes, cloud) and Singularity/Apptainer images (grid, conversion Docker to Singularity)
- Snapshots of entire VMs (cloud, OnDemand)
- Local compilation (GCC, Intel compilers, BLAS/LAPACK math libraries, CUDA support and so on...)



As users do not have root access, installations must be placed in their home directories or in the scratch directory.



- `go_to_scratch` utility

- Realtime monitoring of running jobs; redirection to computational node

`go_to_scratch job_ID@PBS_server_full_name`

- `qextend` utility

<https://docs.metacentrum.cz/en/docs/software/utilities#go-to-scratch>

- Walltime, which could be reserved by PBS, is limited to 720 hours
- Users are allowed to prolong their jobs in a limited number of cases

`qextend job_ID@PBS_server_full_name additional_walltime_hh:mm:ss`


- `pbs-get-job-history` utility

<https://docs.metacentrum.cz/en/docs/computing/jobs/extend-walltime>

- Complex information about current or historical jobs

`pbs-get-job-history job_ID@PBS_server_full_name`

<https://docs.metacentrum.cz/en/docs/computing/jobs/finished-jobs#older>



- HW resources (CPUs, GPUs, RAM, scratch, walltime,...) are reserved by PBS
- Detailed documentation: <https://docs.metacentrum.cz/en/docs/computing/resources/qsub-compiler>
- It requires some experience (keep some reserve)
- Helper tool for qsub command assembly

Personal view

This page shows a personal view of the PBS system for the user **vorel**.

Jobs of user "vorel"

user	job count					CPU count				
	total	queued	running	completed	other	total	queued	running	completed	other
vorel	0	0	0	0	0	0	0	0	0	0

Links

- list of my jobs
- personal view of storages
- **qsub assembler**

Click on it...

Go to metavo.metacentrum.cz -
Current state - Personal view - **Qsub assembler**

(Stav zdrojů - Osobní pohled
Sestavovač qsub)



The screenshot shows the Qsub assembler interface with various resource selection options. A blue arrow points to the 'SPECfp2017 per core' dropdown menu, which is labeled 'CPU performance'. A tooltip shows the following options: :spec=7.4, :spec=8.0, :spec=9.1, and :spec=10.4. Another blue arrow points to the 'Find machines mathing the resource specification' button at the bottom, which is labeled 'Click on it...'. The button is circled in blue.

qsub -l walltime=1:0:0 -q default@meta-pbs.metacentrum.cz \

-l select=1 :ncpus=1 :ngpus=0 :mem=400 mb :scratch_local=400 gb

cluster ...

city ...

SPECfp2017 per core ...

other resources ...

:arch=

:biocev=

:centos=

:cgroups=

:cluster=

:cpu_flag=

:cpu_vendor=

:cuda_version=

:gpu_cap=

:host=

:hyperthreading=

:infiniband=

:luna=

:os=

:osfamily=

:pbs_server=

:pruhonice=

:scratch_shm=

:uv=

:vestec=

:vnode=

Find machines mathing the resource specification

CPU performance

:spec=7.4

:spec=8.0

:spec=9.1

:spec=10.4

Click on it...

■ And you will see...

selection from command line

```
qsub -l walltime=24:0:0 -q default@meta-pbs.metacentrum.cz -l select=1:ncpus=8:mem=100gb:scratch_ssd=50gb
```

selection in shell script

```
#!/bin/bash
#PBS -q default@meta-pbs.metacentrum.cz
#PBS -l walltime=24:0:0
#PBS -l select=1:ncpus=8:mem=100gb:scratch_ssd=50gb
#PBS -N my_awesome_job
```

Result

OK

The requirement is 1 machine, and 93 such machines are free, out of 289 machines matching the requirements. The job is for it.

Machines available right now

adan1 (32 CPU, 187.6 GIB RAM, 697.6 GIB HDD)	adan2 (32 CPU, 187.6 GIB RAM, 783.6 GIB HDD)	adan3 (16 CPU, 171.6 GIB RAM, 766.6 GIB HDD)	adan5 (32 CPU, 187.6 GIB RAM, 744.6 GIB HDD)	adan6 (32 CPU, 187.6 GIB RAM, 705.4 GIB HDD)
--	--	--	--	--


<https://www.cesnet.cz/>

<https://www.metacentrum.cz/>

<https://www.e-infra.cz/>

<https://docs.metacentrum.cz/>

- Is suitable for everyone and easy to use in the most cases
- Has user support <https://docs.metacentrum.cz/en/docs/support>
- Has documentation <https://docs.metacentrum.cz/en/docs/welcome>
- Has a blog with news <https://blog.e-infra.cz/>
- Is a part of e-INFRA CZ <https://www.e-infra.cz/>
- Is not just about CLI
- Please link your ORCID
<https://www.e-infra.cz/en/news/link-your-e-infra-cz-account-to-orcid-a-small-step-for-smarter-impact-reporting>
- Requests to add acknowledgements in publications
<https://docs.metacentrum.cz/en/docs/access/terms#acknowledgements-and-publications>





Thank you for your attention

https://github.com/CESNET/metacentrum-hands-on/blob/main/2026-02_NIMH.md

- Go to '*github.com*'
- In the search bar, type '*MetaCentrum Hands-on*'
- Select the first (and probably only) result
- Select today's hands-on session (*2026, National Institute of Mental Health, Prague, 9 February*)

